## (12) EUROPEAN PATENT APPLICATION

(72) Inventor : **Okada, Kazuo, c/o K.K. Universal of
3-22-9 Takanawa, Minato-ku
Tokyo (JP)**

(74) Representative : **Nicholls, Michael John
J.A. Kemp & Co., 14, South Square, Gray's Inn
London WC1R 5LX (GB)**

(54) **Game machine.**

(57)   A slot machine wherein a predetermined in-
surance premium value is set for example by
inserting a predetermined number of coins be-
sides a value, e.g. a number of coins, to be bet
on each game prior to starting a game, thereby
to start an insurance period. During the insur-
ance period, the values having been bet on
games are summed up. When the sum reaches
a predetermined amount, a predetermined
value of insurance is paid out, whereupon the
insurance period is terminated. Also when a big
hit occurs, the insurance period is terminated. A
display displays the values having been bet on
games played in insurance period. The number
of games may be used instead of the values
having been bet on the games.

FIG. 2

EP 0 497 562 A2

The present invention relates to a game machine, and more particularly to a slot machine in which a player can play a game by inserting coins (including medals and tokens) or by using a memory card.

In a slot machine, a game is generally started upon actuation of a start lever after insertion of one, two or three coins in the slot machine. Then, a plurality of reels with symbols arranged thereon simultaneously start rotating. The reels are thereafter caused to stop rotating at random or in response to the depression of a stop button or stop buttons. Whether a prize should be awarded, and if so what prize, is determined based on the combination of symbols that are finally positioned on a predetermined number of winning lines when the reels stop after rotating. If the game results in a win, a predetermined number of coins, according to the rank of the win, e.g. a big hit, middle hit, small hit or the like, is paid out.

Furthermore, as is mentioned above, there have also been slot machines wherein a specific game card is used instead of coins, which is usable exclusively in playing the slot machine game. The game card has an IC memory or an LSI memory for recording data or is capable of magnetically recording data thereon. Prior to starting a game, an appropriate value is selectable to be bet on the game within a value on hand, that is, the value currently recorded on the game card. If the game results in a win, a predetermined value to be paid out is recorded on the game card, in additive manner to the value in hand. If the game results in a lost game, the value having been bet is reduced from the value in hand.

Independently whether the reels of the slot machine are controlled to stop in response to the depression of the stop buttons, or the reels are automatically caused to stop at random, the probability of obtaining hits is previously set so that the pay-out rate of the slot machine, that is, the total paid out value-to-the total bet value ratio, approaches a predetermined amount the greater the number of games that are played. Especially, the probability of obtaining a big hit, for which an enormous value is paid out, is ordinary set at about 1 % of the total available games, considering such a predetermined pay-out rate. It is to be noted that the big hit includes not only a hit for which at once an enormous value is paid out, but also a hit for which it becomes possible to play a number of privileged or bonus games in which the probability of obtaining hits is exceptionally high.

In the same way as for the big hit, the probabilities of obtaining middle and small hits are previously set considering the predetermined pay-out rate. Therefore. but for a big hit, the player would probably lose the value in hand with the number of played games, even if a number of middle and/or small hits are obtained in the mean time.

However, the above-described percentage of obtaining a big hit is not a regular frequency, but absolutely a probability, so that it is in practice possible that two of a hundred games may result in big hitgames, or none of 200 - 300 games may result in a big hit. Therefore, the player might lose interest in the games if the player cannot win a big hit even after playing many games, because it merely mounts up the losses.

It is, therefore, an object of the present invention to provide a game machine which can hold the player's interest in the games even when the bet value has run up to a large sum.

One aspect of the present invention provides a game machine wherein a value is bet on a game before starting the game, and a predetermined value is given as a prize for a hit game, said game machine comprising:

a first signal generator for generating an insurance signal based on a predetermined insurance premium value that is optionally set before starting a game besides a value to be bet on the game;

an accumulating means for accumulating values bet on games during a period of said insurance signal;

a second signal generating means for generating an insurance pay-out signal upon detection that the accumulative amount in said accumulating means reaches a predetermined amount, so as to pay out a predetermined value of insurance; and

resetting means for clearing said accumulative amount of said accumulating means and terminating said insurance signal in response to said insurance pay-out signal.

More particularly, one embodiment of the invention provides a coin-operated game machine wherein a number of coins are inserted into the machine before starting a game, and a predetermined number of coins are awarded as a prize for a hit game, said coin-operated game machine comprising:

a first coin counter for counting a number of coins bet on each game;

a second coin counter for counting a first predetermined number of coins that are optionally inserted as an insurance premium besides the coins to be bet on each game, said second coin counter being cleared each time the count thereof reaches said first predetermined number;

a third coin counter for counting a total number of coins counted by said first coin counter, said third coin counter being activated to start counting when said second coin counter has counted said first predetermined number, and said third coin counter being cleared when having counted a second predetermined number; and

a pay-out means to pay out a third predetermined number of coins when said third coin counter has counted said second predetermined number.

Thus with the present invention a game machine is provided, especially a slot machine wherein a value

is bet on a game and a prize is awarded for a hit obtained, and wherein an insurance premium value is set besides the value to be bet on each game so as to generate an insurance signal for effecting an insurance period. While the insurance signal is maintained, the values having been bet on games are accumulated. When the accumulative value reaches a predetermined amount, a predetermined value of insurance is paid out and, at the same time, the insurance signal is terminated. The insurance signal may be terminated if a big hit occurs.

By indicating that the insurance signal is maintained, and by displaying the value having been bet during the insurance period, the player can consider or expect the payment of insurance when playing games, in addition to the winning of prizes.

In case of a slot machine wherein the value to be bet on each game is predetermined at a constant amount, it is possible to count the number of games that are played during the insurance period, so as to pay out an insured amount when the number of games reaches a predetermined number.

According to the present invention, even if the player loses many games and thus obtains a lesser prize, the player may be compensated for a part of the loss by receiving the insurance. Therefore, a not-skilled player can enjoy the games without anxiety about losing a large amount of money.

The above invention will be further explained in the following description of preferred embodiments with reference to the accompanying drawings wherein:

Figure 1 is an outer appearance of a slot machine embodying the present invention;

Figure 2 is a functional block diagram of the slot machine;

Figure 3 is a flowchart illustrating the basic operation of the slot machine; and

Figure 4 is a functional block diagram according to another embodiment of the present invention.

Referring to Fig. 1 showing the outer appearance of the front of a slot machine embodying the present invention, the slot machine 2 is provided with a front panel with three display windows, through which first, second and third reels 4 to 6 can be viewed. There are two coin slots 7 and 8 on the front panel, and the player can insert an appropriate number of coins in hand into these coin slots 7 and 8. The first coin slot 7 is for use of inserting one to three coins prior to the start of a game. The number of coins inserted into the first coin slot 7 decides the value bet on the game, as well as the number of winning lines which are to be effective in judging a win. The starting coins that are inserted into the first coin slot 7 are sent to a hopper 10 through a detecting unit 9 including a coin discriminator and a coin detector.

The second coin slot 8 is for use of inserting a predetermined number of coins, e.g. three coins, as insurance premium. The premium coins may optionally be inserted preceding to the starting coins, so as to effect an insurance function of the slot machine. Once the three premium coins are inserted and thus the insurance function is effective, the number of starting coins inserted for subsequent games is accumulated. When the accumulating total number of inserted starting coins reaches a predetermined value, e.g. 500, a predetermined number of coins, e.g. 200 coins are paid out as insurance coins. However if the player does not wish to use the insurance function, it is possible to start playing by inserting only a number of starting coins without insertion of the premium coins. The premium coins inserted into the second coin slot 8 are also sent to the hopper 10 through a second detecting unit 11 including a coin discriminator and a coin detector.

An indication lamp 14 is provided for indicating that the insurance function becomes effective in response to the insertion of three premium coins. An LED display 15 is provided for displaying in digits:the momentary total number of starting coins that have been inserted during the insurance period. Because 200 coins are paid out as an insured amount when the cumulative number of starting coins reaches 500 during the insurance period, and the momentary total number of starting coins is displayed on the LED display 15, the player may retain an expectation of obtaining the insurance coins, besides taking interest in winning prizes when playing games.

Upon actuation of a start lever 16 after the insertion of starting coins, the reels 4 to 6 simultaneously start rotating and thereafter automatically stop at random. When all the reels have stopped, it is determined which combination of symbols stops on each of the effective lines. Depending on the combination of symbols, it is determined whether the game results in a hit game or a lost game. The reels 4 to 6 are driven by respective stepping motors such that the stop positions of the reels are electrically controlled. Namely, a random number is sampled upon actuation of the start lever 16, and the rank of hit, inclusive of a lost game, is determined according to the sampled random number. Thereafter, the reels 4 to 6 are controlled to stop correspondingly to the rank of hit determined to be displayed. When a hit is obtained, or when the insured amount is to be paid out, the hopper 10 is activated to eject coins onto a saucer through an outlet 18.

In Fig. 2 showing a functional block of the above-described slot machine, a starting coin detector 20 detects the starting coins inserted into the first coin slot 7. Each time a starting coin is inserted, the starting coin detector 20 outputs a detection signal. The detection signal, e.g. a pulse signal, is counted by a starting coin counter 21. Depending on the count of the counter 21, the number of effective winning lines is determined. A game start controller 22 receives the

detection signal from the starting coin detector 20, and thereafter when the start lever 16 is actuated, outputs a start signal to a reel controller 24 and a random number sampling section 25. Upon receipt of the start signal, the reel controller 24 simultaneously drives the stepping motors so as to cause the first to third reels 4 to 6 to rotate simultaneously, whereas the random number sampling section 25 samples a random number within a predetermined range of random number sequence, and outputs the random number to a rank decision section 26.

The rank decision section 26 decides the rank of hit to be displayed, inclusive of a lost game, depending on the random number sampled by the random number sampling section 25, with reference to a probability table 27. The probability table 27 stores data about all the available random numbers which are classified into big hit, middle hit, small hit and lost game groups. The rank decision section 26 determines the group to which the sampled random number belongs. Rank decision data determined in this is sent to the reel controller 24, which then controls the reels 4 to 6 to stop in positions wherein a symbol combination corresponding to the decided rank is displayed on the effective winning line. The rank decision data is also sent to a hopper controller 28. The hopper controller 28 refers the rank decision data to a pay out number table 29 wherein the numbers of coins to be awarded for the respective ranks, exclusive of a lost game, are stored, so that the hopper controller 28 controls the hopper 10 to pay out a number of coins predetermined for the obtained hit.

A premium coin detector 30 detects the premium coins inserted into the second coin slot 8. Each time a premium coin is inserted, the premium coin detector 30 outputs a detection signal, which is counted by a premium coin counter 31. An insurance signal generator 32 monitors the premium coin counter 31, and outputs an insurance signal when the count of the premium coin counter 31 reaches three. Upon the insurance signal, the insurance period is started and, at the same time, the indication lamp 14 is turned on. While the insurance signal is generated, if any coins are inserted into the second slot 8, the coins are ejected through the outlet 18 as unnecessary coins.

The count of the starting coin counter 21 is cleared to zero after each game. However, during the insurance period, the count of the starting coin counter 21 is supplied to an accumulating counter 33 upon each actuation of the start lever 16. That is, the accumulating counter 33 counts the number of starting coins having been inserted during the insurance period, that is, when the accumulating counter 33 receives the insurance signal from the insurance signal generator 32. The count of the accumulating counter 33 is displayed on the LED display 15. An insurance pay-out signal generator 35 outputs an insurance pay-out signal to the hopper controller 28

when the count of the accumulating counter 33 reaches 500. Upon the insurance pay-out signal, the hopper controller 28 is activated to cause the hopper 10 to pay out 200 coins as insured amount. The insured amount is previously memorized in an insurance coin number memory 36.

The insurance pay-out signal is supplied also to a reset signal generator 37, which then outputs a reset signal to the insurance signal generator 32, the accumulating counter 33 and the premium coin counter 31, so as to terminate the insurance signal as well as to clear the count of the counters 31 and 33 to zero. The reset signal generator 37 is adapted to receive a big hit signal from the rank decision section 26, so that the reset signal is generated also when a big hit game is obtained.

The operation of the above-described embodiment will now be described with reference to the flow chart of Fig. 3.

When playing games with the insurance function, three premium coins are inserted into the second coin slot 8. When the premium coin counter 31 counts up to three, and thus detects the insertion of the three premium coins, the insurance signal generator 32 generates an insurance signal. Then, the indication lamp 14 is turned on to indicate that the insurance function is effective. Thereafter, one to three coins are inserted into the first coin slot 7 as starting coins for the initial game in the insurance period. When the start lever 16 is actuated, the game is started in an ordinary manner. The number of starting coins is sent to the accumulating counter 33 through the starting coin counter 21.

A number of games are repeated during the insurance period, and starting coins having been inserted for the respective games are consumed. When a middle or small hit is obtained in the mean time, a number of coins are paid out correspondingly to the rank of obtained hit. For example, fifteen or five coins are paid out for a middle or small hit, respectively. If the total number of coins inserted as starting coins reaches 500 before a big hit is obtained, the insurance pay-out signal generator 35 is activated to pay out 200 insurance coins, and thus the insurance period is terminated.

In this embodiment, the coins paid out for the hits have no bearing on the insurance function, except for the big hit. That is, if a big hit is obtained during the insurance period, the insurance signal is turned off by a big hit signal from the rank decision section 26, thereby terminating the insurance period. In this case, the player lose the three premium coins, that have been inserted, in vain, but instead a predetermined enormous number of coins are paid out for the big hit, so that most players would be satisfied with the result. Of course, it must be still more preferable for the player to obtain a big hit without inserting the premium coins. Therefore, the players have their choice of

using or not-using the insurance function.

If any premium coins are inserted into the second slot 8 during the insurance period, these coins are adapted to be ejected in the present embodiment. However, it is possible to newly start an insurance period when three premium coins are inserted before the end of the insurance period already in effect.

The number of premium coins to be inserted to effect the insurance function, or the number of insurance coins to be paid out as an insured amount may be an appropriate number other than the above-mentioned number. It is also possible to determine the number of insurance coins depending on the number of premium coins inserted. In case of a slot machine wherein several kinds of coins having different values are usable, the different values of the coins inserted may be summed up as bet values, so that a corresponding number of coins are paid out when the total bet value reaches a predetermined amount. The count of the accumulating counter 33 may be reduced by the number of coins paid out for middle hits and/or small hits during an insurance period.

Although the above description relates to the embodiment adapted to a coin-operated slot machine as shown in Fig. 2, the present invention may be adapted to slot machine operable by game cards as described above. In this type of slot machine, the values bet on the respective games are summed up during the insurance period. When the sum reaches a predetermined value, an insurance pay-out signal is generated, so as to record a predetermined insurance value in the game cards, in addition to the value already recorded. It may be possible to clear the sum of the bet value when the game card is changed, that is, when a player changes to another. The game card may be a prepaid card or a credit card.

When adapting the present invention to a slot machine wherein the value to be bet on a game must be a predetermined constant value, it is possible to count the number of games that are played during the insurance period, instead of summing up the values bet on these games. In this case, an insurance pay-out signal may be generated when the number of games having been played reaches a predetermined amount. Fig. 4 shows a partial function block of such an embodiment wherein the number games are counted during the insurance period. As shown in Fig. 4, an accumulating counter 40 receives the start signal from the game start controller 22 during the insurance period, and the count of the accumulating counter 40 is sent to the insurance pay-out signal generator 35 and an LED display 41 for displaying the number of games. In this alternative, the accumulating counter 33 for accumulating the count of the starting coin counter 21 of Fig. 2 is omitted, but other constructions may be similar to those shown in Fig. 2, and hence are not illustrated.

The present invention may be adapted to a video-

type slot machine wherein the symbols are displayed on a CRT screen. Thus, the present invention should not be limited to these embodiments, but rather various modifications within the scope of appended claims will be apparent to people skilled in the art.

Claims

1. A game machine wherein a value is staked for a game before starting the game, and a first predetermined value is given as a prise for a hit game, said game machine being characterized by
    a first signal generator (30, 31, 32) for generating a first signal based on a premium value, said premium value being set in response to an optional additional payment besides the value to be staked for each game;
    accumulating means (33, 40) for accumulating the stakes or number of games, which starts accumulating in response to said first signal;
    a second signal generator (35) for generating a second signal when the content accumulated in said accumulating means (33, 40) reaches a second predetermined value;
    means (36) for giving a third predetermined value as insurance value in response to said second signal; and
    resetting means (37) for clearing and deactivating said accumulating means (33, 40) in response to said second signal.

2. A game machine as recited in claim 1, further comprising a third signal generator (26) for generating a third signal when a predetermined kind of hit occurs, said third signal causing said resetting means (37) to clear and deactivate said accumulating means (33, 40).

3. A game machine as recited in claim 2, wherein said predetermined kind of hit is a big hit for which a large value is given as a prize.

4. A game machine as recited in claim 1, 2 or 3, further comprising display means (15, 41) for displaying the accumulated content in said accumulating means (33, 40).

5. A game machine as recited in claim 1, 2, 3 of 4, further comprising indicating means (14) for indicating that said accumulating means (33, 40) is activated.

6. A game machine as recited in any one of the preceding claims, wherein said values having been staked for games and said premise value are

reduced from a value recorded on a memory card that may be entered by a player into said game machine, while values given as prizes and insurance are added to the value recorded on said memory card, and preferably wherein said value recorded on said memory card may be converted into cash after playing the games.

7. A game machine as recited in any one of the preceding claims, wherein said values staked for a game, those set as a premium value, those awarded for a hit, and those paid out as insurance correspond to a respective number of coins.

8. A game machine as recited in claim 7 when dependent from claim 4, wherein said display means (15) displays a number of coins in digital fashion as the value accumulated in said accumulating means (33).

9. A game machine according to any one of the preceding claims wherein said premium value is taken into no account when determining a prise.

10. A game machine according to any one of the preceding claims wherein the insurance value is selectively variable in response to the premium value paid by the player.

5

10

15

20

25

30

35

40

45

50

55

FIG. 1

F I G. 2

FIG.3

```
                    ┌──────────┐
                    │  START   │
                    └──────────┘
                         │
NO        ◇ PREMIUM COIN
◇─────── ◇ INSERTED ?
          │ YES
          ◇ INSURANCE SIGNAL      NO
          ◇ ON ?        ─────────→
          │ YES
   ┌──────────────────┐    ◇ THREE PREMIUM
   │ REFUSE INSERTION │    ◇ COINS INSERTED ?  NO
   │ OF PREMIUM COIN  │    │ YES
   └──────────────────┘    ┌──────────────────────┐
                           │ INSURANCE SIGNAL ON  │
                           └──────────────────────┘
```

PREMIUM COIN INSERTED ?   NO

INSURANCE SIGNAL ON ?   NO

THREE PREMIUM COINS INSERTED ?   NO

REFUSE INSERTION OF PREMIUM COIN

INSURANCE SIGNAL ON

STARTING COIN INSERTED ?   NO

START LEVER ACTUATED ?   NO

ACCUMULATE THE NUMBER OF STARTING COIN

START REEL ROTATION

SAMPLE RANDOM NUMBER

RANK DECISION

STOP REELS

BIG HIT ?   YES

PAY OUT PRIZE COINS

ANOTHER HIT ?   NO

PAY OUT PRIZE COINS

INSURANCE SIGNAL ON ?   NO

COUNT OF ACCUMULATING COUNTER IS 500 OR MORE ?   NO

PAY OUT 200 INSURANCE COINS

INSURANCE SIGNAL OFF

RETURN

FIG. 4

DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
Y	EP 0 497 562 A (UNIVERSAL) * column 2, line 12 - column 3, line 22; figures 2-4 * ---	1-4,6,13	G07F17/32
Y	DE 15 74 235 A (LENNARD) * page 4, last paragraph - page 5, line 21 * * page 8, paragraph 2 * * page 9, line 1 - page 11, line 24; figures 1,2 * -----	1-4,6,13	

TECHNICAL FIELDS
SEARCHED   (Int.Cl.6)

G07F

The present search report has been drawn up for all claims

Place of search	Date of completion of the search	Examiner
THE HAGUE	26 March 1997	Neville, D

CATEGORY OF CITED DOCUMENTS

X : particularly relevant if taken alone
Y : particularly relevant if combined with another
document of the same category
A : technological background
O : non-written disclosure
P : intermediate document

T : theory or principle underlying the invention
E : earlier patent document, but published on, or
after the filing date
D : document cited in the application
L : document cited for other reasons

& : member of the same patent family, corresponding
document

EPO FORM 1503 03.82 (P04C01)

ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.

EP 96 30 7958

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

26-03-1997

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 497562 A	05-08-92	JP 4244178 A	01-09-92
		AT 138485 T	15-06-96
		AU 647234 B	17-03-94
		AU 1048892 A	30-07-92
		DE 69210847 D	27-06-96
		US 5178390 A	12-01-93
DE 1574235 A	22-07-71	GB 1202691 A	19-08-70